SYSTEM ONE® PARTSPower End Conversions

PARTS LIST 1301-C07

Section Effective Replaces 1301 Feb 2013 New

Keep with Instructions 1301-C00 for Installation, Operation and Maintenance


	Page
FRAME S CONVERSIONS	
X-Section Drawing	2
Parts for PEC Goulds 3196 ST(X)	3
Parts for PEC Durco Mk II Group I	3
LD17 CONVERSIONS	
X-Section Drawing	4
Parts for LD23 PEC (Goulds MT(X))	5
Parts for LD18 PEC (Durco Mk II Group II)	5
FRAME M CONVERSION	
X-Section Drawing	7
Parts for PEC Goulds 3196 XLT	8

NOTES:

Original ANSI length Power End Conversions are obsolete and unique parts for these have been disconinued. It is recommended that pumps with these power ends be upgraded with an LD23 or LD18 PEC currently available.

All parts that are unique to power end conversions are indicated in **bold**. All other parts are identical to the coresponding Frame-S, LD17, or Frame-M parts. Any parts not listed here can be found in the coresponding Frame-S, LD17, or Frame-M parts list.

FRAME S POWER END CONVERSIONS Cross Section






Power End Conversion SPARE PARTS Frame-S

Ref.#	Description	Parts/pump	Part #	Comment/Note
6	Shaft Assemblies and Rotating Elements.			
	Ref# 6-SA: Shaft Assembly Includes shaft (6), locknut (22), lockn	ut washer (69),	and key (46).	
	Ref# 6-RE: Rotating Element Includes shaft assembly (6-SA), bea			(35)
	For Goulds 3196 ST(X)	85 (10010), k	Jearning cover	(33).
	Shaft Assembly FRS CS/316	I I	099652	
	Shaft Assembly FRS CS/A20	.	059448	
6-SA	Shaft Assembly FRS CS/HB	1 1	628600	
	Shaft Assembly FRS CS/HC		098070	
	For Durco Mark II Group I			
	Shaft Assembly FRS CS/316	1	099651	
	For Goulds 3196 ST(X)			•
	Rotating Element FRS CS/316 (w/ 5308)		099654	
	Rotating Element FRS CS/A20 (w/ 5308)	J	097419	
6-RE	Rotating Element FRS CS/HB (w/ 5308)	1	628601	
O INL	Rotating Element FRS CS/HC (w/ 5308)		098071	
	Rotating Element FRS CS/HC (w/ 3308)		808422	
	For Durco Mark II Group I			
	Rotating Element FRS CS/316 (w/ 5308)	1	099653	
	Back Cover - For 3196ST see Frame-S back covers in parts page 1	1301-C01		
11	Back Cover Mark II Group I CF 6"	1 1	099683	
	Back Cover Mark II Group I CF 8"]	099684	
	All covers include hardware, have 2.38" bore and accomadate 1	.5" shaft.		'
16	Radial Bearing 6308 C3	1	099649	
	Thrust Bearing 5308 AH/C3 ¹		099648	
18	Thrust Bearing 3308 DNRCBM¹ (Optional)	1 1	801597	
	Bearing Frame Assembly 3196 ST	 	099642	
	Includes: bearing frame (19), sight glass (143), stud (403),		055042	
19	oil cap (408), plugs (414 and 433), Jackbolts.	1 1		
	Bearing Frame Assembly Mark II Group I	1	099643	
22	Bearing Locknut N08	1	099794	
33	Cartridge (5308, 3308 brgs.) Incl. Hrdw'r, O-ring	1	363721	
	Retainer Cover			
35		1	099644	
46	Key	1	361875	
66	Micrometer Nut SS	3	099793	
69	Bearing Lockwasher W08	1	099790	
89B	Thrust Lab Seal Rotary, 1.12" SS	1	099646	892 in drawing
89C	Thrust Lab Seal Rotary O Ring (2-024 FKM)	1 1	098954	893 in drawing
89E	Radial Lab seal Rotary, 1.50" SS	1	099647	895 in drawing
89F	Radial Lab Seal Rotary O Ring (2-029 FKM)	1	098972	896 in drawing
143	Oil Sight Glass 0.75-14 NPT	1	099645	
400	Bearing Frame Front Foot (6" sizes only)	1	090732	
		3		
403	Micrometer Stud (.37-24x2.38) SS (3 req'd.) ea.		099682	
404	Cartridge Locknut (.37-24) SS (3 req'd) ea.	3	099681	
405	Cartridge O-Ring (2-155 Buna)	1	099897	Included in #33
408	Oil Filler and Cap	1	098364	
414	Magnetic Drain Plug .25-18 NPT	2	099792	
432	Adapter Plate Assembly (req'd for 8" sizes only)	1	090700	
433	Magnetic Drain Plug .25-18 NPT	1	099792	
501	Retainer Cover Socket Head Cap Screws	8	361865	
*	Temperature Monitor (optional)	1	685362	
	Bearing Housing Cooling Coil (optional)	1	099904	+

^{*} Not depicted in drawing.



LD23 and LD18 POWER END CONVERSIONS Cross Section



NO.	ITEM	NO.	ITEM	NO.	ITEM
6	SHAFT	72	O-RING, FRAME ADAPTER	502	WASHER, RETAINER COVER
16	BEARING, RADIAL	143	SIGHT GLASS, OIL LEVEL	503	SCREW, BEARING FRAME FOOT
18	BEARING, THRUST	400	FOOT, BEARING FRAME	504	WASHER, BEARING FRAME FOOT
19	BEARING FRAME	403	STUD, CARTRIDGE	505	SCREW, JACK
22	LOCKNUT, THRUST	404	NUT, CARTRIDGE LOCK	506	SCREW, FOOT ADJUST
33	CARTRIDGE	405	O-RING, CARTRIDGE	892	LABYRINTH ROTOR, THRUST
35	COVER, BEARING RETAINER	408	OIL FILTER AND FILLER CAP	893	O-RING, LABYRINTH THRUST
46	KEY, COUPLING	413	LIFTING EYE	894	LABYRINTH STATOR, RADIAL
62	FLINGER FILTER	414	PIPE PLUG, MAGNETIC	895	LABYRINTH ROTOR, RADIAL
66	NUT, MICROMETER	433	PIPE PLUG, OIL DRAIN	896	O-RING, LABYRINTH RADIAL
69	WASHER, BEARING LOCK NUT	500	SCREW, FRAME ADAPTER		
71	FRAME ADAPTER	501	SCREW, RETAINER COVER		



Power End Conversion SPARE PARTS LD18 and LD23

Part numbers in **bold** are for conversions only. Others also fit standard LD17.

Ref.#	Description	Parts/pump	Part #	Comment/Note		
6	Shaft Assemblies and Rotating Elements.					
	Ref# 6-SA: Shaft Assembly Includes shaft (6), locknut (22), locknut washer (69), and key (46).					
	Ref# 6-RE: Rotating Element Includes shaft assembly (6-SA), bearings (16&18), bearing cover (35), flinger filter (62).					
	For Goulds 3196MT, MTX & 3796 MT(X)					
	Shaft Assembly 3196MT LD23 CS/316 1.375	1	059193			
6	Rotating Element 3196MT LD23 CS/316 1.375	1	059194			
0	For Durco MkII and MkIII Group II					
	Shaft Assembly MK2/3 LD18 CS/316 1.375	1	364276			
	Rotating Element MK2/3 LD18 CS/316 1.375	1	364277			
Note:	Original ANSI length design uses 5310 thrust bearing and shaft is 1.125" at the coupling end.					
	Shaft Assemblies for discontinued ANSI length power end conversions are unavailable. It is possible to convert old power					
	ends to LD18 or LD23 standard. It may be more feasible to purchase complete LD18 or LD23 power end. Consult Blackmer for details.					

Parts required to convert Original ANSI length Power End (1.125" cplg. end) to current LD18 or LD23 design (1.375" cplg. end):

- 1 ea Rotating Element ***** CS/316 1.375 (ref 6)
- 1 ea Frame Adapter (ref 71)
- 1 ea Thrust Lab seal Stationary 1.50" NPS** (ref 89A)
- 1 ea Thrust Lab Seal Rotary 1.50" 316SS (89B)
- 1 ea Coupling half for 1.375" shaft (by others)
- ** If cartridge is also being replaced, this item is unnecessary.

Ref.#	Description		Part No.	Comment/Note				
11	Back Cover/Seal Chamber Assemblies							
	Assemblies include hardware for mounting to frame adaptor and for mounting mechanical seals.							
	Assemblies do not include gasket (Ref #73A)							
	For Goulds 3196MT, MTX & 3796 MT(X)							
	Back Cover Assembly 3196MT LD23 316 10"	1	059196					
11	Back Cover Assembly 3196MT LD23 316 13"	1	059198					
11	For Durco MkII and MkIII Group II							
	Back Cover Assembly Mark2/3 Group 2 CD4 10"	1	089654					
	Back Cover Assembly Mark2/3 Group 2 CD4 13"	1	089655					
16	Radial Bearing 6310 C3	1	098381	Included in #6-RE				
18	Thrust Bearing 7310 BEGAY (2 required)	2	098054	Included in #6-RE				
19	Bearing Frame Assembly	1	098299					
	Includes: bearing frame (19), sight glass (143), stud (403),							
	oil cap (408), eyebolt (413), plugs (414 and 433).							
22	Bearing Locknut N10	1	098383	Included in #6-SA				
33	Cartridge Thrust Bearing Assembly Includes: cartridge (33), screw (35a), washers (35b), O-ring (405).	1	801140					
35	Retainer cover	1	098371	Included in #6-RE				
46		1	059241	Included in #6-RE				
	Key	_						
62	Flinger Filter	1	098385	Included in #6-RE				
66	Micrometer Nut SS	3	098376	La alcada dia HC CA				
69	Bearing Lockwasher W10	1	098384	Included in #6-SA				
	Frame Adapter LD23 10"	-	059200					
71	Frame Adapter LD23 13"	1	059202					
	Frame Adapter LD18 10"	4	364269					
	Frame Adapter LD18 13"		364268					
72	Frame Adapter O-ring (2-265 Buna)	1	098396	Included in #71 assy				



Power End Conversion SPARE PARTS LD18 and LD23


Part numbers in **bold** are for conversions only. Others also fit standard LD17.

Ref.#	Description	Parts/pump	Part #	Comment/Note
	Back Cover Gasket CFN 10"		363428	
72	Back Cover Gasket CFN 13"	1 , 1	363427	
73	Back Cover Gasket PTFE 10"	1 1	099848	
	Back Cover Gasket PTFE 13"	1 1	099847	
89A	Thrust Lab seal Stationary 1.50" NPS	1	364238	Note 4.
Note:	Thrust lab seal stationaries have been omitted on all LD18 and LD23 Po	wer End Conv	ersions bu	ilt after May 2000
89B	Thrust Lab Seal Rotary 1.50" 316SS	1	090697	892 in drawing
89C	Thrust lab seal rotary O-ring 1.50" (2-128)	2	099924	(893) Included in #89B assy
89D	Radial Lab Seal Stationary 1.87" NPS	1	364240	894 in drawing
89E	Radial Lab seal Rotary 1.87" 316SS	1	098478	895 in drawing
89F	Radial lab seal rotary O-ring (2-134)	2	098374	(896) Included in #89E assy
143	Oil sight glass 1.00-11.5 NPT	1	098306	2nd SG optional
	Bearing Frame Foot for 8.25" pumps without C-frame Adaptor		059293	Marked 2536
400	Bearing Frame Foot 10.00" pumps without C-frame Adaptor	1	059295	Marked 2537
400	C-Frame Adaptor Foot for 8.25" pumps]	059297	Marked 2538
	C-Frame Adaptor Foot for 10.00" pumps		059293	Marked 2536
Note:	If C-frame adaptor is used, use C-frame adaptor feet attached to adapte	or rather than	bearing fr	ame foot attached to frame.
	Bearing Frame Feet and C-Frame Adaptor feet include ref. 503, 504 & 5	06.		
403	Micrometer stud 1/2-20 UNF SS	3	098366	
404	Cartridge Locknut 1/2-20 UNF SS	3	098377	
405	Cartridge O-Ring (2-248 Buna)	1	098375	Included in #33 assy
408	Oil Filler & Cap Assembly	1	098364	
413	Lifting Eyebolt .50-13	1	098365	
414	Magnetic Plugs .50-14 NPT (2 req'd)	2	098363	
433	Drain plug .25-18 NPT	1	099792	
500	Hex Head Cap Screw, .62-11x1.25 (4 req.)	4	098331	
501	Retainer Cover Socket Head Cap Screws 10-32	8	098387	Included in #33 assy
502	Washer for 35A	8	098389	Included in #33 assy
503	Screw, Bearing Frame Foot	2	350729	
504	Washer for Screw 503	2	350727	
505	Jacking Screw	2	098278	Included in #71 assy
506	Screw, Bearing Frame Support	2	350728	
*	Temperature Monitor)optional)	1	685361	
*	Bearing Housing Cooling Coil Assy (optional)	1	098308	
*	Motor Adapter Foot Assembly 8.25" CLH		059297	Marked 2538
*	Motor Adapter Foot Assembly 10" CLH		059293	Marked 2536

^{*} Not depicted in drawing.



FRAME M POWER END CONVERSIONS Cross Section





Power End Conversion SPARE PARTS Frame-M

All parts fit standard Frame M.

Ref.#	Description	Parts/pump	Part #	Comment/Note
6-SA			637473	
	Shaft Assembly CS/316			
	Includes shaft (6), Locknut (22), Key (46) and washer 69).	1		
6-RE	Rotating Element CS/316		637472	
	Includes shaft assemby (6-SA), bearings (16&18), cover			
	(35), flinger (62), and screw (62a).			
	Motor Frame Adaptor (284TC - 365TC) (Optional)		640588	
14*	Includes 5-350483; 4-098277; 4-637486	1		
14"	Motor Frame Adaptor (404TC - 449TC) (Optional)	1	640589	
	includes 9-350483; 4-350483; 4-637486			
16	Radial Bearing 6314 C3	1	630999	
18	Thrust Bearing (7314 BEGay)	2	630998	
19	Bearing Frame Assembly	1	637480	
	Includes bearing frame (19), sight glass (143), studs (403),			
	oil cap (408), eyebolt (413), plugs (414&433).			
22	Bearing Locknut N14	1	637474	
33	Thrust Bearing Cartridge	1	637476	
	Includes cartridge (33), Screws (35a), washers (35b), and O		007.170	
	ring (405).			
35	Retainer Cover	1	634929	
46	Key	1	360346	
62	Flinger	1	634930	
62A	Set screw for Flinger	1	350429	
66	Micrometer Nut (.50"-20) 304SS	4	637484	
69	Bearing Lockwasher W14	1	637475	
- 03	Frame Adapter 13" D.I. Includes jack screws (71a)	1	637470	
71	Frame Adapter 15" D.I. Includes jack screws (71a)	1	981457	
89B	Thrust Lab Seal Rotary	1	634931	892 in drawing
89C	Thrust Lab Seal Rotary O-Ring (2-146 FKM)	2	360797	893 in drawing
89D	Radial Lab Seal Stationary	1	634932	894 in drawing
89E	Radial Lab Seal Rotor	1	634931	895 in drawing
89F	Radial Lab Seal Rotary O-Ring (2-146 FKM)	2	360797	896 in drawing
89G	Radial Lab Seal Stationary O-Ring (2-140 FKM)	1	363628	897 in drawing
143	Oil Sight Glass 1.00"-11.5 NPT	1	098306	037 III di di di Willig
400	Bearing Frame Foot C.I.	1	634978	
400A	Foot Bolts (.62-11x1.50)	2	981706	
403	Micrometer Stud (.50"-20 x4") CS	4	637481	
404	Cartridge Locknut (.50"-20) CS	4	637485	
405	Cartridge O -Ring (2-262 Buna)	1	637477	
408	Oil Filler	1	098364	
413	Lifting Eyebolt .50"-13	1	098365	
414	Magnetic Plug .50"-14 NPT	2	098363	
433	Magnetic Plug .25"-18 NPT	1	098303	
500	Bolt for Adaptor/Bearing frame .62"-11x1.75 CS	6	637486	
501	Retainer Cover Socket Head Cap Screws	8	637478	
502	Washer for Screws	8	637479	+
505	Jacking screw	3	801187	Included in #71
*	Temperature Monitor (Optional)	1	685361	included III #/1
*		1	643085	
	Cooling Coil (Optional)	Т	043083	

^{*} Not depicted in drawing

